



Windows 11 Pro Rugged Laptop with 14.0" Outdoor Display

TOUGHBOOK 55

TOUGHBOOK 55 with Windows 11 Pro, magnesium chassis, flexible configurations and universal bay is the most versatile 14" rugged TOUGHBOOK ever built, but doesn't compromise on durability, with a unique 'honeycomb' design for improved strength and splash resistantanace. In terms of flexibility, the TOUGHBOOK 55 is equally outstanding. It offers a huge array of flexible self configuration options, making it easier to customise the device to suit multiple job roles and business needs as they change.

Key Features

Windows 11 Pro

Maximum flexibility by two Expansion Slots and TOUGHBOOK Universal Bay

14" Full-HD Active Matrix LCD, capacitive Touch Screen, 1.000cd/m² brightness

Maximum flexibility by two Expansion Slots and TOUGHBOOK Universal Bay

Up to 10 hours battery life with standard battery (up to 20 hours with optional 2nd battery)











TOUGHBOOK 55

https://oc.connect.panasonic.com/au/en/products/toughbook-rugged-laptops-tablets/toughbook-55

| Mobile Computing Platform | Intel® Core™ i5-1145G7 vPro™ processor (optional Intel® Core™ i7-1185G7 vPro™*) |
|------------------------------|---|
| Operating System | Windows 11 Pro |
| RAM | 8GB RAM (max. 64GB) |
| Graphic Chip | Intel® UHD Graphics, supports Intel® Iris® Xe Graphics when 2 RAM Modules installed |
| Storage | 256GB SSD |
| LCD | 14" Active Matrix (TFT) colour LCD 1366x768 pixels (HD) or 1920x1080 pixels (Full-HD), |
| | optional capacitive 10 finger Touch Screen. |
| Bluetooth™ | 5.0 |
| Wireless LAN | Intel® Dual Band Wireless-AC 9560 |
| Mobile Broadband* | 4G LTE, EM7430 |
| Global Positioning* | u-blox NEO-M8N (supports GPS, GLONASS, Beidou, Galileo) |
| LAN | IEEE 802.3 10Base-T / IEEE 802.3u 100BASE-TX / IEEE 802.3ab 1000BASE-T (2nd GLAN optional) |
| Sound | WAVE and MIDI playback, Intel® High Definition Audio subsystem support |
| Enhanced Voice Recognition* | 4 Microphones (included in Front Camera) |
| Front Camera* | 2 MP with IR / privacy shutter, Windows Hello compliant (standard configuration on Full-HD models only) |
| Micro SDXC Memory Card | x1 |
| USB 3.1 | x2 |
| USB 3.1 type C PD | x1 |
| HDMI | x1 |
| Headset | x1 |
| DC In | x1 |
| Port Replicator | x1 |
| Dual Path Through Connector* | x1 |
| TOUGHBOOK Universal Bay** | 2nd SSD (256 GB / 512 GB / 1 TB), Smart Card Reader, DVD Multi Drive, Blu Ray Drive |
| Front Expansion Slot** | 2nd Battery, Fingerprint Reader, Contactless Smart Card Reader (HF-RFID), Smart Card Reader |
| Rear Expansion Slot*** | VGA + True Serial + 4th USB 3.1 (standard configuration on Full-HD models only), VGA + |
| | True Serial + 2nd native GLAN, VGA + True Serial + Rugged USB 2.0 |
| AC Adapter | Input: 100V - 240V AC, 50Hz/ 60Hz, Output: 15.6V DC, 7.05A |
| Battery | Lithium-Ion 10.8V, 6500mAh (typ.), 6300mAh (min.) |
| Battery Life | Approx. 19 hours (Mobile Mark™ 2014) |
| | Approx. 38 hours with 2nd battery (Mobile Mark™ 2014) |
| Power Management | Standby function, ACPI BIOS |
| Hot Swap* | With 2nd Battery |
| Dimensions (WxHxD) | 345mm x 272mm x 32.8mm |
| Weight | Approx. 2.08 kg to 2.22 kg depending on configuration |
| Drop Resistance | 90cm**** |
| Dust Resistance | IP5x |
| Water Resistance | IPx3 |
| Operating Temperature | -29°C to +60°C**** |

^{*} Optional

^{**} Exclusive Option, pre-configured or accessory

^{***} Exclusive Option, pre-configured

^{****} Tested by an independent third party lab following MIL-STD810H Method 516.8 Procedure IV for transit drop test and Method 501.7 and 502.7 Procedure II for operation temperature test. May differ depending on models and options.